

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: David ELSLEY
Title: COMBINED THERAPIES FOR
ATHEROSCLEROSIS
TREATMENT
Patent. No.: 7,125,897
Issue Date: 10/24/2006
Examiner: Raymond J. Henley III
Art Unit: 1614
Confirmation Number: 7852

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Enclosed, in duplicate, is a Certificate of Correction, Form PTO-1050, for United States Patent Number 7,125,897 issued 24 October 2006. The following Patent Office printing errors appear in the issued patent:

IN THE CLAIMS

In claim 2 at column 12, line 51, please replace “static drug” with “statin drug.” In the Amendment and Reply submitted 29 April 2005, the phrase “statin drug” was correctly presented at page 4, claim 24 (which issued as claim 2).

In claim 21 at column 14, lines 19 - 20, please replace “patients own blood” with “patient’s own blood”. In the Amendment and Reply submitted 29 April 2005, the phrase “patient’s own blood” was correctly presented at page 6, claim 43 (which issued as claim 21).

IN THE SPECIFICATION

At column 3, line 59, please replace “those killed in the art ” with “those skilled in the art”. The error is due to a typographical error by the Applicant in which the ‘s’ of skilled was omitted.

At column 8, line 18, please replace “is given is given” with “is given”. The error is due to a clerical error by the Applicant in which the phrase “is given” was duplicated.

Applicant submits that the noted errors do not constitute new matter, and correction thereof would not require reexamination.

Pursuant to 37 C.F.R. §1.323, Applicant requests that the enclosed Certificate of Correction be approved.

Since at least one of the noted errors is not the fault of the Patent Office, the credit card payment of the required fee in the amount of \$100.00 is being paid via EFS-Web. The Commissioner is hereby authorized to charge any additional fees which may be required for this Request, to Deposit Account No. 50-0872.

Respectfully submitted,

Date 2 January 2007

By Karen E. Flick

FOLEY & LARDNER LLP
Customer Number: 38706
Telephone: (650) 251-1115
Facsimile: (650) 856-3710

Karen E. Flick
Attorney for Applicant
Registration No. 44,111

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,125,897
APPLICATION NO. : 10/089,362
DATED : 10/24/2006
INVENTOR(S) : David ELSLEY

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE SPECIFICATION:

At column 3, line 59, please replace "those killed in the art " with --those skilled in the art--.

At column 8, line 18, please replace "is given is given" with --is given--.

IN THE CLAIMS:

Claim 2, at column 12, line 51, replace "static drug" with --statin drug--.

Claim 21, at column 14, lines 19-20, replace "patients own blood" with --patient's own blood--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

1530 Page Mill Road
Palo Alto, California 94304-1125

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer.

U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,125,897
APPLICATION NO. : 10/089,362
DATED : 10/24/2006
INVENTOR(S) : David ELSLEY

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE SPECIFICATION:

At column 3, line 59, please replace "those killed in the art " with --those skilled in the art--.

At column 8, line 18, please replace "is given is given" with --is given--.

IN THE CLAIMS:

Claim 2, at column 12, line 51, replace "static drug" with --statin drug--.

Claim 21, at column 14, lines 19-20, replace "patients own blood" with --patient's own blood--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

1530 Page Mill Road
Palo Alto, California 94304-1125

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer.

U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.